

## About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

### **Toshiba Tec Germany Imaging Systems GmbH**

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

### **Telephone**

+49 2131-1245-0

### **Fax**

+49 2131-1245-402

### **Website**

<https://www.toshibatec.eu>



**Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.**

**It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.**

**We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.**



**e-STUDIO5518A**

**e-STUDIO6518A**

**e-STUDIO7518A**

**e-STUDIO8518A**

## Datasheet

---

- > High-volume A3 multifunctional systems with impressive monochrome document output at a speed of up to 85 pages per minute for demanding printing, copying, scanning and faxing jobs.
- > Fully customisable user interface and support of cloud and mobile printing to give you the flexibility you need in today's business world.
- > e-BRIDGE Next as the starting point for an efficient communication and a perfect document management.
- > All models feature a Dual Scan Document Feeder with a paper capacity of up to 300 sheets as standard for a fast and reliable document processing at a speed of up to 240 ipm.



Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailor-made, effective solutions to meet your print, document management, and content needs, while also helping you to meet your green objectives.

While distributing information, high flexibility is required. Which information should be printed and where should it be saved. The optional e-BRIDGE Plus connectors for OneDrive, Google Drive and Dropbox offer direct access to these cloud services. So documents can be sent directly from the MFP to the service selected or printed on the selected service.

All e-BRIDGE Next models fulfill highest security standards to protect your data from unwanted access. The new e-BRIDGE Next generation offer numerous options for an effective data protection. The Toshiba Secure HDD is standard for all e-BRIDGE Next models and works with a 256-bit AES encryption, guaranteeing your data stays safe.

# SPECIFICATIONS

## General

<b>Print &amp; Copy Speed</b>	A4: 55/65/75/85 ppm A3: 27/30/37/40 ppm
<b>Warm-up Time</b>	~ 15 seconds from low power mode
<b>Paper Size &amp; Weight</b>	Cassettes: A5R-320 x 460 mm, 60-256 g/m <sup>2</sup> Tandem LCF: A4, 60-256 g/m <sup>2</sup> Bypass: 100 x 148 mm-330 x 483 mm, 60-300 g/m <sup>2</sup> Banner paper: up to 313.4 x 1,200 mm, 90-163 g/m <sup>2</sup>
<b>Paper Capacity</b>	Cassettes: 2 x 540 sheets Tandem LCF: 1 x 2,320 sheets Bypass: 1 x 120 sheets max. 6,020 sheets
<b>Automatic Duplex</b>	A5R, A4, A4R, A3+ (305 x 457 mm), SRA3 (320 x 450 mm), 320 x 460 mm, special formats <sup>3)</sup> , 60-256 g/m <sup>2</sup>
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	26 cm (10.1") Multi-Touch Colour Panel
<b>Memory</b>	Toshiba Secure HDD 320 GB <sup>1)</sup> , 4 GB RAM
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN <sup>2)</sup> (IEEE802.11b/g/n), Bluetooth <sup>2)</sup> , WiFi Direct <sup>2)</sup>
<b>Dimensions &amp; Weight</b>	955 x 698 x 1,227 mm (W x D x H), ~ 195 kg
<b>Starter Kit</b>	Drum, developer, waste toner box

## Print

<b>Resolution</b>	600 x 600 dpi (1 bit), 1,200 x 1,200 dpi (2 bit) equivalent to 3,600 x 1,200 dpi (PostScript driver only)
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PostScript 3 compatible
<b>Supported Systems</b>	Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/2012 R2/2012/2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Private/ Hold print, Print from USB, Tandem printing, E-Mail Direct Print, etc.

## Scan

<b>Resolution</b>	max. 600 x 600 dpi
<b>Scan Speed</b>	Dual Scan Document Feeder (DSDF): up to 240 ipm (300 dpi) in Colour and Monochrome
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF <sup>2)</sup> (and other formats like DOCX, XLSX) <sup>2)</sup>
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan <sup>2)</sup> , OCR Scan <sup>2)</sup> , Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi Print: 600 x 600 dpi (5 bit) equivalent to 2,400 x 600 dpi with smoothing
<b>First Copy Output Time</b>	~ 5.2/5.2/4.5/4.1 seconds
<b>Zoom</b>	Platen: 25-400% DSDF: 25-200%
<b>Copy Modes</b>	Text, Text/Photo, Photo, Custom
<b>Copy Functions</b>	Electronic Sort, Rotate Sort, ID-copy, Edge Erase, 2-in-1 / 4-in-1 mode
<b>Fax<sup>2)</sup></b>	
<b>Communication</b>	Super G3, G3 - (opt. 2 <sup>nd</sup> line), Internet Fax T.37
<b>Transmission Speed</b>	~ 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	HDD: 1 GB Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Server 2016/2012 R2/2012/2008 R2 (64 bit)
<b>Incoming Fax Routing</b>	SMB, FTP, IPX/SPX, E-Mail, e-Filing

## System & Security

<b>Device Management</b>	e-BRIDGE Fleet Management System <sup>2)</sup> , Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PLC Barcode Print
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 depart- ment & 10,000 user codes, Card Reader <sup>2)</sup> , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler <sup>2)</sup> , IP and MAC address filter, Port filter, Support of SSL and IPsec <sup>2)</sup> protocols, CC certified (ISO/IEC15408) with HCP-PP v1.0 <sup>2)</sup> , Scan to Secure PDF



<sup>1)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less.  
Available capacity will also be less if software applications are pre-installed.

<sup>2)</sup> Optional.

<sup>3)</sup> See technical manuals.

# OPTIONS

**EXTERNAL LARGE CAPACITY FEEDER – MP-2502A-B** 2,500-sheets capacity, A4, 60-256 g/m<sup>2</sup>

**MULTI-STAPLE FINISHER – MJ-1111-B** 2 trays, 3,250-sheet capacity  
50-sheet multi-position stapling  
Staple mode: A4R-A3, 60-105 g/m<sup>2</sup>

**SADDLE-STITCH FINISHER – MJ-1112-B** 2 trays, 3,250-sheet capacity  
50-sheet multi-position stapling  
5-sheet center folding  
Saddle-stitched booklets of up to 60 pages  
Staple mode: A4R-A3, 60-105 g/m<sup>2</sup>

**HOLE PUNCH UNIT – MJ-6106E/ MJ-6106F/ MJ-6106S** Available in:  
2 holes (E), 4 holes (F), 4 holes (S)

**SIDE EXIT TRAY – KA-6551-ET**

**FAX BOARD – GD-1370EU**

**WIRELESS LAN / BLUETOOTH MODULE (incl. WiFi Direct) – GN-4020**

**e-BRIDGE ID-GATE – TWN4**

**HARD DISK DRIVE 320 GB (FIPS 140-2 STANDARD) – GE-1230**

**ACCESSORY TRAY – GR-1330**

**PANEL TEN-KEY OPTION – GR-1340**

**DATA OVERRWRITE ENABLER – GP-1070**

**IPsec ENABLER – GP-1080**

**EMBEDDED OCR ENABLER – GS-1080, GS-1085**

**MULTI-STATION PRINT ENABLER – GS-1090, GS-1095**

**META SCAN ENABLER – GS-1010**

**UNICODE FONT ENABLER – GS-1007**

**ACCESSIBLE ARM – KK-2560**

# CONFIGURATION

