

e-studio257 e-studio307 e-studio357 e-studio457 e-studio507

Datasheet

- These five multifunctional A3 systems cover all needs of modern offices.
 Whether you need to print, scan, copy, or fax - the e-STUDI0507 series does it all.
- Excellent output quality combined with a large variety of finishing options let you create impressive documents.
- Data security is an important issue. All five models of this series are equipped with a Toshiba Secure HDD, which ensures state-of-the-art data protection.
- > We believe that sophisticated technology must be easy to use if you want to benefit from it. Toshiba's human -centric approach allows intuitive usage and simplifies complex tasks.
- Optimised power consumption and a design which meets the highest environmental standards help you save valuable resources.



The e-STUDIO507 series consists of five impressive monochrome systems with print speeds ranging between 25 and 50 pages per minute. All five systems are true all-rounders which offer you print, scan, copy, and fax functionality.

Enjoy the excellent quality prints and colour scans which you can rely on, even for high-volume jobs. But the e-STUDIO507 series offers more than just excellent document output. All systems support complex workflow tools and help you optimise your processes.

Like all Toshiba products, these five systems were designed to comply with leading environmental standards. Built-in standard features, such as energy save modes or duplex printing, not only help save natural resources, but directly convert into saving money.



SPECIFICATIONS

General

Print & Copy Speed	25/30/35/45/50 ppm (A4) 16/16/25/25/25 ppm (A3)
Warm-up Time	Approx. 20 seconds from low power mode
Paper Size & Weight	Cassettes: A5R-A3, 64-105 g/m ² Large Capacity Feeder ¹ : A4, 64-105 g/m ² Bypass: A5R-A3, 52-209 g/m ²
Paper Capacity	2x 550 sheets (Cassettes), 1x 100 sheets (Bypass) Maximum: 3,200 sheets
Inner Output Tray	550-sheet capacity
Automatic Duplex	A5R-A3, 64-105 g/m ²
Controller Type	Toshiba e-BRIDGE
Control Panel	9" (22.8 cm) Colour Touch Panel
Memory	Toshiba Secure HDD 320 GB2, 2 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n)
Dimensions & Weight	575 x 586 x 756 mm (W x D x H), ~58 kg
Starter Kit	Drum

Сору

Resolution	Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing	
First Copy Output Time	Approx. 4.7/4.7/3.7/3.7/3.7 seconds	
Zoom	25-400% (Platen), 25-200% (RADF) ¹⁾	
Copy Modes	Text, Text/Photo, Photo, Colour Document, Custom	
Copy Functions	Electronic Sort, Rotate Sort, Edge Erase, 2-in-1 / 4-in-1 mode	

Fax¹⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB (HDD) Transmission/Reception
Network-Fax	Driver for Windows 8/7/Vista/Server 2008/Server 2003 (32/64 bit), Server 2012/Server 2008 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

Print

Resolution	600 x 600 dpi, 2,400 x 600 dpi with smoothing
Page Description Language	XPS, PCL 6 and PostScript 3 compatible
Supported Systems	Windows 8/7/Vista/Server 2008/Server 2003 (32/64 bit), Windows Server 2012/Server 2008 (64 bit), Mac OS X 10.4.11-10.10, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Print Functions	Universal Printer Driver, Templates, Driver plug-ins ¹⁾ , Print from USB, Hold print, Tandem printing, AirPrint, etc.

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, e-BRIDGE Open Platform ¹), Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ¹⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ¹⁾ , Scan to Secure PDF

Scan

Resolution	Maximum 600 x 600 dpi, 8 bit per colour channel
Scan Speed	Monochrome/Colour: 57/43 ipm (300 dpi)
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, SecurePDF, Slim PDF, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX, RTF, TXT, PDF/A) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹ , Scan to Box (e-Filing), WIA, TWAIN

- Optional
 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.
 e-STUDIO357/457/507 only
 e-STUDIO257/307 only


OPTIONS

RADF - MR-3028	100-sheet capacity, A5R-A3, 35-157 g/m ²
PAPER FEED PEDESTAL – KD-1025	550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 g/m²
DRAWER MODULE – MY-1033	For Paper Feed Pedestal 550-sheet capacity (1 Cassette), A5R-A3, 64-105 g/m ²
LARGE CAPACITY FEEDER – KD-1026A4	2,000-sheets capacity, A4, 64-105 g/m 2
INNER FINISHER – MJ-1032N	2 trays, 600-sheet capacity 50-sheet multi-position stapling A5R-A3, 64-105 g/m ² (stapling mode)
MULTI-STAPLE FINISHER ³⁾ - MJ-1107, MJ-1108	2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A5R-A3, 60-105 g/m ² (stapling mode)
SADDLE-STITCH FINISHER – MJ-6007/6008, MJ-6104 ³⁾	1 tray, 1,000-sheet capacity or 2 trays, 3,250-sheet capacity, 5-sheet centre folding ³⁾ 50-sheet multi-position stapling Saddle-stitched booklets of up to 60 pages A5R-A3, 60-105 g/m ² (stapling mode)
HOLE PUNCH UNIT – MJ-5006 ³⁾ , MJ-5004 ⁴⁾	Available in 2 holes (E), 4 holes (F), 4 holes (S)
JOB SEPARATOR - MJ-5005	2 inner trays, 150- and 250-sheet capacity
OFFSET TRAY ⁴⁾	250-sheet capacity

DESK - MH-2050 HARD DISK DRIVE 320 GB³ (FIPS 140-2 STANDARD) – GE-1230 FAX BOARD – GD-1350EU WIRELESS LAN MODULE – GN-1060 e-BRIDGE ID-GATE – TWN3/4 DATA OVERWRITE ENABLER – GP-1070 IPsec ENABLER – GP-1080 META SCAN ENABLER – GS-1010 UNICODE FONT ENABLER – GS-1007 ACCESSIBLE ARM – KK-2550



CONFIGURATION



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7 41460 Neuss Germany

Telephone +49 2131-1245-0

Fax +49 2131-1245-402

Website

www.toshiba-europe.com/tec

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

For more information please visit: www.togetherinformation.com

This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned. Copyright © 2015 TOSHIBA TEC. DS_e-STUDIO507 series_201505