

## e-STUDIO528P

### Datasheet

- > The e-STUDIO528P provides an impressive printing speed of up to 52 pages per minute and a wide range of configuration options for the highest productivity.
- > This A4 monochrome print system impresses with its high productivity with the printout being available after just 4.5 seconds.
- > The large, tiltable colour touch panel gives you easy access to your print jobs and allows you to adjust settings as needed.
- > Whether you print text, graphics or images, your documents will leave a lasting impression.



Efficiency, productivity and functionality are the advantages, which distinguish the e-STUDIO528P. This powerful device meets all the demands for flexibility in the workspace.

A maximum paper capacity of 4,400 sheets can be achieved via the wide range of first class paper handling options. These options allow you to tailor this A4 monochrome print system to your individual requirements and reliably handle even high-volume print jobs.

The e-STUDIO528P meets even the most strict environmental requirements, thanks to its integrated duplex function and efficient energy saving modes, to ensure that valuable resources are used responsibly.

# SPECIFICATIONS

## General

|                                |   |
|--------------------------------|---|
| <b>Print &amp; Copy Speed</b>  | 52 ppm  |
| <b>Warm-up Time</b>            | ~ 11 seconds (from sleep mode)  |
| <b>Paper Size &amp; Weight</b> | Cassette: A6-A4/custom, 60-176 g/m <sup>2</sup><br>Bypass: 76 x 127 mm - 216 x 356 mm, 60-176 g/m <sup>2</sup>    |
| <b>Paper capacity</b>          | Cassette: 1x 550 sheets<br>Bypass: 1x 100 sheets<br>Max.: 4,400 sheets  |
| <b>Inner Output Tray</b>       | 550-sheet capacity  |
| <b>Automatic Duplex</b>        | A6-A4/custom, 60-176 g/m <sup>2</sup>   |
| <b>Control Panel</b>           | 10.9 cm (4.3") colour touch panel   |
| <b>Memory</b>                  | Standard: 1 GB, max. 5 GB   |
| <b>Interface</b>               | 10Base-T/100Base-TX/1000Base-T (incl. IPv6),<br>High Speed USB 2.0, WLAN <sup>1)</sup> (IEEE802.11<br>ac/a/b/g/n) |
| <b>Dimension &amp; Weight</b>  | 428 x 510 x 441 mm (W x D x H), ~ 25.6 kg   |
| <b>Starter Kit</b>             | Toner and Imaging Unit  |

## Print

|                                  |   |
|----------------------------------|---|
| <b>Resolution</b>                | Max.: 1,200 x 1,200 dpi   |
| <b>First Print Output Time</b>   | ~ 4.5 seconds   |
| <b>Page Description Language</b> | PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation,<br>XPS, PPDS   |
| <b>Supported Systems</b>         | Windows 10/8/8.1/7, Windows Server 2016/Server<br>2012/Server 2008 (32/64 bit), Windows Server 2012 R2/<br>Server 2008 R2 (64 bit), Mac OS X 10.6-10.13,<br>Linux/Unix, Novell NetWare, Citrix, SAP |
| <b>Mobile Printing</b>           | AirPrint, Mopria Print Service, Google Cloud Print  |
| <b>Print Functions</b>           | Universal Printer Driver, Print from USB, Print preview,<br>Multiple pages per sheet, Envelope printing   |

## System & Security

|                                  |   |
|----------------------------------|---|
| <b>Device Management</b>         | e-BRIDGE Fleet Management System <sup>1)</sup>  |
| <b>System Features</b>           | Energy saving modes, Automatic toner saturation/<br>darkness adjustment   |
| <b>Accounting &amp; Security</b> | Private print, IP address filter, Port filter,<br>Support of SNMPv3, SSL and IPSec protocols,<br>802.1x authentication <sup>1)</sup> , Operator panel lock,<br>Automatic hard disk wipe <sup>2)</sup> |

## Options

|   |   |
|---|---|
| <b>2,100-SHEET HIGH CAPACITY FEEDER - KD-1069</b> | 1x cassette, 2,100-sheet capacity,<br>A5-A4, 60-135 g/m <sup>2</sup>            |
| <b>250-SHEET DRAWER - KD-1065</b>                 | 1x cassette, 250-sheet capacity,<br>A6-A4, 60-176 g/m <sup>2</sup> , envelopes  |
| <b>550-SHEET DRAWER - KD-1066</b>                 | 1x cassette, 550-sheet capacity,<br>A6-A4, 60-176 g/m <sup>2</sup> , envelopes, |

|  |   |
|--|---|
| <b>250-SHEET LOCKABLE DRAWER - KD-1067</b>     | 1x cassette, 250-sheet capacity,<br>envelopes, A6-A4, 60-176 g/m <sup>2</sup>                                   |
| <b>550-SHEET LOCKABLE DRAWER - KD-1068</b>     | 1x cassette, 550-sheet capacity,<br>envelopes, A6-A4, 60-176 g/m <sup>2</sup>                                   |
| <b>250-SHEET DRAWER INSERT - MJ-7004</b>       | 1x cassette, 250-sheet capacity,<br>envelopes, A6-A4, 60-176 g/m <sup>2</sup>                                   |
| <b>550-SHEET DRAWER INSERT - MJ-7005</b>       | 1x cassette, 550-sheet capacity,<br>envelopes, A6-A4, 60-176 g/m <sup>2</sup>                                   |
| <b>STAPLE FINISHER - MJ-1045</b>               | 1x tray, 50-sheet stapling,<br>A5-A4, 75 g/m <sup>2</sup> ,   |
| <b>HOLE PUNCH FINISHER - MJ-1046</b>           | 1x tray, 50-sheet stapling,<br>A5-A4, 75 g/m <sup>2</sup> ,<br>hole-punch 60-90 g/m <sup>2</sup> (2-/3-/4-hole) |
| <b>4-BIN MAILBOX - MJ-5017</b>                 | 4x trays, 4x 100-sheet capacity,<br>75 g/m <sup>2</sup> , A6-A4/custom  |
| <b>OUTPUT EXPANDER - MJ-5019</b>               | 500-sheet capacity, 75 g/m <sup>2</sup> ,<br>envelopes  |
| <b>HIGH CAPACITY OUTPUT EXPANDER - MJ-5018</b> | 1,500-sheet capacity, 75 g/m <sup>2</sup> ,<br>envelopes  |
| <b>SWIVEL CABINET - MH-3100</b>                |   |
| <b>ADJUSTABLE PRINTER STAND - KK-3210</b>      |   |
| <b>CASTER BASE - KK-4200</b>                   |   |
| <b>SPACER - KK-4100</b>                        |   |
| <b>HARD DISK DRIVE - GE-1240</b>               |   |
| <b>USER FLASH MEMORY - GC-1420</b>             |   |
| <b>MEMORY EXPANSION - GC-1440</b>              |   |
| <b>WIRELESS LAN (FRONT MODULE) - GN-1170</b>   |   |
| <b>WIRELESS LAN (REAR MODULE) - GN-1190</b>    |   |
| <b>SERIAL INTERFACE CARD - GF-1260</b>         |   |
| <b>PARALLEL INTERFACE CARD - GF-1250</b>       |   |
| <b>FORMS AND BARCODE CARD - GB-2080LXK</b>     |   |
| <b>PRESCRIBE CARD - GB-2290LXK</b>             |   |
| <b>IPDS Card - GB-2100LXK</b>                  |   |



<sup>1)</sup> Optional

<sup>2)</sup> Requires optional HDD

**Toshiba Tec Germany Imaging Systems GmbH**  
Carl-Schurz-Str. 7  
41460 Neuss  
Germany

**Telephone** +49 2131-1245-0

**Website** [www.toshibatec.eu](http://www.toshibatec.eu)

