



# Document Manager

- Fast and efficient multifunctionality ideal for departmental workgroups
- State-of-the-art data security thanks to Toshiba's unique secure hard disc
- Large variety of finishing options for perfect document output
- Innovative technology to reduce costs and maximise productivity

**e-STUDIO356SE**  
**e-STUDIO456SE**  
**e-STUDIO506SE**



SAP® Printer Vendor Solution





**e-STUDIO356SE**  
**e-STUDIO456SE**  
**e-STUDIO506SE**



<p><b>General</b></p>	<p><b>Print &amp; Copy Speed</b> 35/45/50 ppm (A4), 25/25/25 ppm (A3)  <b>Warm-up Time</b> Approx. 20 seconds  <b>Paper Size &amp; Weight</b> Cassettes: A5R-A3, 64-105 g/m<sup>2</sup>  Large Capacity Feeder<sup>1)</sup>: A4, 64-105 g/m<sup>2</sup>  <b>Paper Capacity</b> Bypass: A5R-A3, 52-209 g/m<sup>2</sup>  2 x 550 sheets (Cassettes), 100 sheets (Bypass)  Maximum: 3,200 sheets  <b>Automatic Duplex</b> A5R-A3, 64-105 g/m<sup>2</sup>  <b>Inner Output Tray</b> 250-sheet capacity with offset function  <b>Controller Type</b> Toshiba e-BRIDGE  <b>Control Panel</b> 9" (22.8 cm) colour touch panel LCD  <b>Memory</b> Toshiba Secure HDD 160 GB<sup>2)</sup> / 1 GB RAM  <b>Interface</b> 10/100/1000BaseT (incl. IPv6), High Speed USB 2.0, WLAN<sup>3)</sup> (IEEE802.11b/g), Bluetooth<sup>1)</sup>  <b>Dimensions &amp; Weight</b> 575 x 586 x 756 mm (W x D x H), ~ 62 kg</p>
<p><b>Print</b></p>	<p><b>Resolution</b> Max. 2,400 x 600 dpi with smoothing  <b>Page Description Languages</b> XPS, PCL6 and PostScript 3 compatible  <b>Supported Systems</b> Windows 7/Vista/XP/Server 2008/Server 2003 (32/64 bit), Windows Server 2008 R2 (64 bit), Mac OS X, Linux/UNIX, Novell Netware (NDPS), Citrix, SAP, AS/400  <b>Print Functions</b> Universal Driver, Driver templates, Driver plug-ins, Hold print, Print from USB, Tandem printing</p>
<p><b>Scan</b></p>	<p><b>Resolution</b> Max. 600 x 600 dpi, 8 bit per colour channel  <b>Scan Speed</b> Up to 57/43 (mono/colour) ipm (300 dpi)  <b>Scan Modes</b> Auto-Colour (ACS), Colour, Greyscale, B&amp;W  <b>File Formats</b> JPEG, Multi/Single Page TIFF/XPS/PDF, Slim PDF, Secure PDF, Searchable PDF<sup>1)</sup> (and other formats like DOC, XLS, RTF, TXT, PDF/A)<sup>1)</sup>  <b>Scan Functions</b> Web Services Scan (pull/push), Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, local), Meta Scan<sup>1)</sup>, Scan to Box (e-Filing), TWAIN1.7/1.8/1.9</p>
<p><b>Copy</b></p>	<p><b>Resolution</b> Max. 2,400 x 600 dpi with smoothing  <b>First Copy</b> Approx. 3.7 seconds  <b>Zoom</b> 25-400% (platen), 25-200% (RADF)<sup>1)</sup>  <b>Copy Modes</b> Text, Text/Photo, Photo, Colour Document, Custom</p>
<p><b>Fax<sup>1)</sup></b></p>	<p><b>Communication</b> Super G3, G3 (opt. 2<sup>nd</sup> line), Internet Fax T.37  <b>Transmission Speed</b> Approx. 3 seconds per page  <b>Compression</b> JBIG, MMR, MR, MH  <b>Fax Memory</b> 1 GB (HDD) Transmission/Reception  <b>Network-Fax</b> Driver for Windows 7/Vista/XP (32/64 bit)  <b>Incoming Fax Routing</b> To shared folders (SMB, FTP, IPX/SPX), E-mail, e-Filing</p>
<p><b>System &amp; Security</b></p>	<p><b>Device Management</b> e-BRIDGE Fleet Management System<sup>1)</sup>, TopAccess for remote administration and configuration  <b>System Features</b> e-Filing document server for secure storage, document distribution and Print on Demand (1 public box, 200 user boxes), 12,060 One-touch Templates for storage of personalised settings or workflows, e-BRIDGE Open Platform<sup>1)</sup>, Embedded Web Browser, Job Skip  <b>Accounting &amp; Security</b> Role Based Access, LDAP support, 1,000 department codes &amp; 10,000 user codes, card reader<sup>1)</sup>, private print, standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler<sup>1)</sup>, IP and MAC address filter, port filter, support of SSL and IPSec<sup>1)</sup> protocols, IEEE802.1x support, IEEE2600.1 compliant<sup>1)</sup>, Scan to Secure PDF</p> <p><sup>1)</sup> Optional  <sup>2)</sup> 1GB = 1 billion bytes; the actual formatted capacity is less.  Available capacity will also be less if software applications are pre-installed.  <sup>3)</sup> For e-STUDIO356SE and e-STUDIO456SE only</p> <p>Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 g/m<sup>2</sup> if not otherwise mentioned.</p>

**OPTIONS**

**RADF – MR-3022**

100-sheet capacity, A5R-A3, 35-157 g/m<sup>2</sup>

**JOB SEPARATOR TRAY – MJ-5006**

2 inner trays, 150- and 250-sheet capacity

**INNER FINISHER – MJ-1032<sup>3)</sup>**

2 trays, 600-sheet capacity  
50-sheet multi-position stapling  
482 x 508 x 232 mm (W x D x H), ~ 13 kg

**MULTI-STAPLE FINISHER – MJ-1101**

2 trays, 2,250-sheet capacity  
50-sheet multi-position stapling  
535 x 598 x 1,092 mm (W x D x H), ~ 34 kg

**SADDLE-STITCH FINISHER – MJ-1033<sup>3)</sup>**

1 tray, 1,000-sheet capacity  
50-sheet multi-position stapling  
Saddle-stitched booklets of up to 60 pages  
409 x 624 x 961 mm (W x D x H), ~ 39 kg

**SADDLE-STITCH FINISHER – MJ-1106-N**

2 trays, 3,250-sheet capacity  
50-sheet multi-position stapling  
Saddle-stitched booklets of up to 60 pages  
617 x 603 x 1,085 mm (W x D x H), ~70 kg

**HOLE PUNCH UNIT –**

**MJ-6007** for Finisher MJ-1032  
**MJ-6008** for Finisher MJ-1033  
**MJ-6103** for Finisher MJ-1106-N/MJ-1101  
Available in 2-holes (E), 4-holes (F/S)

**PAPER FEED PEDESTAL – KD-1025**

550-sheet (1 drawer), A5R-A3, 64-105 g/m<sup>2</sup>  
668 x 701 x 291.5 mm (W x D x H), ~ 21 kg

**LARGE CAPACITY FEEDER – KD-1026A4**

2,000-sheet capacity, A4, 64-105 g/m<sup>2</sup>  
668 x 737 x 292 mm (W x D x H), ~ 26 kg

**OTHER OPTIONS**

DESK – MH-2520  
DRAWER MODULE – MY-1033  
FAX BOARD – GD-1250EU-F  
DATA OVERWRITE ENABLER – GP-1070  
e-BRIDGE ID-GATE – KP-2004/5, TWN3XX  
WIRELESS LAN MODULE – GN-1060  
BLUETOOTH MODULE – GN-2020  
META SCAN ENABLER – GS-1010  
IPsec ENABLER – GP-1080  
UNICODE FONT ENABLER – GS-1007  
e-BRIDGE RE-RITE – GB-1280  
ACCESSIBLE ARM – KK-2550

**TOSHIBA TEC GERMANY  
IMAGING SYSTEMS GMBH**

CARL-SCHURZ-STRASSE 7 · D-41460 NEUSS  
TEL. +49(0)2131-12450, FAX +49(0)2131-1245402  
WWW.TOSHIBA-EUROPE.COM/TEC

**TOSHIBA**  
**Leading Innovation >>>**

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2011 TOSHIBA TEC. DS5065EGBEMD1109